



METALL-FACHHANDEL

HARALD IMMISCH KG

Xantener Straße 4-5 · 41460 Neuss
Telefon: 02131/5 50 77 · Telefax: 02131/5 04 21 + 54 63 31
E-Mail: mefa-neuss@freenet.de

L A G E R L I S T E

(alle Abmessungen in mm)

NE-Metall-Halbzeuge

Messing

Kupfer

Aluminium

Rotguss

Rundmessingstangen CW614N, CW617N (MS 58)

Bohr- und Drehqualität, in Lagerlängen von ca. 3.000 mm

kg/m	kg/m	kg/m
2	32	130
3	33	140
4	34	150
5	35	160
6	36	170
7	37	180
8	38	190
9	40	200
10	42	210
11	45	215
12	46	220
13	48	225
14	50	230
15	52	240
16	55	250
17	56	260
18	60	270
19	65	280
20	70	290
21	75	300
22	80	310
23	85	320
24	90	330
25	95	340
26	100	350
27	105	360
28	110	380
29	115	400
30	120	
31	125	

Rundmessingstangen CW713R (CuZn37Al2Mn3PbSi)

kg/m	kg/m	kg/m
40	100	160
50	110	170
60	120	180
70	130	223
80	140	250
90	150	

Vierkantmessingstangen CW614N, CW617N (MS 58)

Bohr- und Drehqualität, in Lagerlängen von ca. 3.000 m

5	kg/m (0,213)	20	kg/m (3,4)	60	kg/m (30,6)
6	(0,306)	22	(4,1)	65	(35,9)
7	(0,417)	24	(4,9)	70	(41,7)
8	(0,544)	25	(5,3)	75	(47,8)
9	(0,7)	30	(7,7)	80	(54,4)
10	(0,9)	32	(8,7)	85	(61,4)
11	(1,0)	35	(10,4)	90	(68,9)
12	(1,2)	36	(11,0)	100	(85,0)
14	(1,7)	40	(13,6)	110	(102,9)
15	(1,9)	45	(17,2)	120	(122,4)
16	(2,2)	50	(21,3)	130	(143,7)
18	(2,8)	55	(23,4)		

Sechskantmessingstangen CW614N, CW617N (MS 58)

Bohr- und Drehqualität, in Hl. von ca. 3.000 mm

5	kg/m (0,184)	14	kg/m (1,4)	32	kg/m (7,5)	65	kg/m (31,1)
6	(0,265)	15	(1,7)	36	(9,5)	70	(36,0)
7	(0,360)	17	(2,1)	38	(10,6)	75	(41,4)
8	(0,471)	19	(2,7)	41	(12,4)	80	(47,1)
9	(0,6)	22	(3,6)	42	(13,0)	85	(53,1)
10	(0,8)	24	(4,2)	46	(15,6)	90	(59,6)
11	(0,9)	27	(5,4)	50	(18,4)	95	(66,4)
12	(1,1)	28	(5,8)	55	(22,3)	110	(89,0)
13	(1,2)	30	(6,6)	60	(26,5)		

Winkelmessingstangen CW618N (MS 58), in Hl. von ca. 5.000 mm

10 x 10 x 2	kg/m (0,306)	40 x 40 x 2	kg/m (1,326)	50 x 30 x 3	kg/m (1,964)
15 x 10 x 2	(0,391)	15 x 10 x 3	(0,561)	20 x 20 x 4	(1,224)
15 x 15 x 2	(0,476)	15 x 15 x 3	(0,689)	25 x 25 x 4	(1,564)
20 x 10 x 2	(0,476)	20 x 20 x 3	(0,944)	30 x 30 x 4	(1,904)
20 x 20 x 2	(0,646)	25 x 25 x 3	(1,199)	40 x 40 x 4	(2,584)
25 x 15 x 2	(0,646)	30 x 15 x 3	(1,071)	50 x 25 x 4	(2,414)
25 x 25 x 2	(0,816)	30 x 20 x 3	(1,199)	30 x 30 x 5	(2,338)
30 x 15 x 2	(0,731)	30 x 30 x 3	(1,454)	35 x 35 x 5	(2,763)
30 x 20 x 2	(0,816)	35 x 35 x 3	(1,709)	50 x 50 x 5	(4,038)
30 x 30 x 2	(0,986)	40 x 20 x 3	(1,454)	50 x 30 x 8	(4,896)
40 x 20 x 2	(0,986)	40 x 40 x 3	(1,964)	75 x 30 x 10	(8,075)

Messingvierkantrohre CW508L (MS 63), in Hl. von ca. 5.000 mm

8 x 8 x 1,0	kg/m (0,238)	15 x 15 x 1,5	kg/m (0,8)	25 x 25 x 2,0	kg/m (1,6)
10 x 10 x 1,0	(0,306)	30 x 15 x 1,5	(1,1)	40 x 40 x 2,0	(2,7)
20 x 20 x 1,0	(0,7)	20 x 20 x 2,0	(1,2)	50 x 50 x 2,0	(3,4)
35 x 35 x 1,0	(1,2)	40 x 20 x 2,0	(1,9)		

Messingrohre CW508L (MS 63), in Hl. von ca. 5.000 mm

	kg/m		kg/m		kg/m		kg/m
4 x 0,5	(0,047)	14 x 1,0	(0,347)	10 x 1,5	(0,340)	10 x 2,0	(0,427)
5 x 0,5	(0,060)	15 x 1,0	(0,374)	12 x 1,5	(0,421)	12 x 2,0	(0,534)
6 x 0,5	(0,073)	16 x 1,0	(0,401)	13 x 1,5	(0,461)	13 x 2,0	(0,587)
8 x 0,5	(0,100)	17 x 1,0	(0,427)	15 x 1,5	(0,541)	14 x 2,0	(0,641)
11 x 0,5	(0,140)	18 x 1,0	(0,454)	16 x 1,5	(0,581)	15 x 2,0	(0,694)
12 x 0,5	(0,153)	19 x 1,0	(0,480)	18 x 1,5	(0,661)	16 x 2,0	(0,748)
28 x 0,5	(0,367)	20 x 1,0	(0,507)	20 x 1,5	(0,741)	18 x 2,0	(0,854)
4 x 1,0	(0,080)	22 x 1,0	(0,560)	22 x 1,5	(0,821)	20 x 2,0	(0,961)
5 x 1,0	(0,107)	25 x 1,0	(0,641)	25 x 1,5	(0,941)	25 x 2,0	(1,228)
6 x 1,0	(0,134)	28 x 1,0	(0,721)	28 x 1,5	(1,061)	26 x 2,0	(1,282)
7 x 1,0	(0,421)	30 x 1,0	(0,775)	30 x 1,5	(1,142)	28 x 2,0	(1,389)
7,8 x 1,0	(0,182)	40 x 1,0	(1,040)	35 x 1,5	(1,342)	30 x 2,0	(1,495)
8 x 1,0	(0,187)	47 x 1,0	(1,242)	40 x 1,5	(1,542)	32 x 2,0	(1,602)
10 x 1,0	(0,240)	90 x 1,0	(2,380)	42 x 1,5	(1,622)	36 x 2,0	(1,816)
11 x 1,0	(0,267)	5 x 1,5	(0,140)	57 x 1,5	(2,223)	40 x 2,0	(2,029)
12 x 1,0	(0,294)	6 x 1,5	(0,180)	60 x 1,5	(2,343)	45 x 2,0	(2,296)
13 x 1,0	(0,320)	8 x 1,5	(0,260)	7 x 2,0	(0,267)	50 x 2,0	(2,563)

Messingrohre CW614N (MS 58), in Lagerlängen von ca. 3.000 mm

	kg/m		kg/m		kg/m		kg/m
10 x 2,0	(0,427)	30 x 4,0	(2,8)	60 x 10,0	(13,4)	60 x 20,0	(21,4)
50 x 2,0	(2,563)	30 x 5,0	(3,3)	70 x 10,0	(16,0)	70 x 20,0	(26,7)
50 x 2,5	(3,171)	33 x 3,0	(2,4)	90 x 10,0	(21,4)	80 x 20,0	(32,0)
18 x 3,0	(1,202)	20 x 5,0	(2,0)	80 x 12,5	(22,6)	90 x 20,0	(37,8)
23 x 3,0	(1,602)	50 x 5,0	(6,0)	70 x 15,0	(22,0)	100 x 20,0	(42,7)
28 x 3,0	(2,003)	25 x 7,5	(3,5)	80 x 15,0	(26,0)	120 x 20,0	(54,0)
30 x 3,0	(2,163)	40 x 10,0	(8,0)	120 x 15,0	(42,1)		

Xantener Straße 4-5 · 41460 Neuss

Telefon: 02131/5 50 77 · Telefax: 02131/5 04 21 + 54 63 31

E-Mail: mefa-neuss@freenet.de

Fragen Sie bitte auch nach anderen Abmessungen und Güten !

Flachmessingstangen CW614N , CW617N (MS 58), in Lagerlängen von 3.000 mm

	kg/m		kg/m		kg/m		kg/m
8 x 2	(0,136)	40 x 5	(1,7)	70 x 10	(6,0)	40 x 25	(8,5)
10 x 2	(0,170)	45 x 5	(1,9)	80 x 10	(6,8)	45 x 25	(9,6)
12 x 2	(0,204)	50 x 5	(2,1)	90 x 10	(7,7)	50 x 25	(10,6)
15 x 2	(0,255)	60 x 5	(2,6)	100 x 10	(8,5)	55 x 25	(11,7)
20 x 2	(0,340)	70 x 5	(3,0)	120 x 10	(10,2)	60 x 25	(12,8)
25 x 2	(0,425)	80 x 5	(3,4)	150 x 10	(12,8)	70 x 25	(14,9)
30 x 2	(0,510)	100 x 5	(4,3)	15 x 12	(1,5)	80 x 25	(17,0)
40 x 2	(0,680)	8 x 6	(0,408)	20 x 12	(2,0)	100 x 25	(21,3)
8 x 3	(0,204)	10 x 6	(0,510)	25 x 12	(2,6)	120 x 25	(25,5)
10 x 3	(0,255)	12 x 6	(0,612)	30 x 12	(3,1)	35 x 30	(8,9)
12 x 3	(0,306)	15 x 6	(0,8)	35 x 12	(3,6)	40 x 30	(10,2)
15 x 3	(0,383)	20 x 6	(1,0)	40 x 12	(4,1)	45 x 30	(11,5)
18 x 3	(0,459)	25 x 6	(1,3)	50 x 12	(5,1)	50 x 30	(12,8)
20 x 3	(0,510)	30 x 6	(1,5)	60 x 12	(6,1)	60 x 30	(15,3)
25 x 3	(0,638)	35 x 6	(1,8)	70 x 12	(7,1)	70 x 30	(17,9)
30 x 3	(0,8)	40 x 6	(2,0)	80 x 12	(8,2)	80 x 30	(20,4)
35 x 3	(0,9)	50 x 6	(2,6)	100 x 12	(10,2)	90 x 30	(23,0)
40 x 3	(1,0)	60 x 6	(3,1)	120 x 12	(12,2)	100 x 30	(25,5)
50 x 3	(1,3)	70 x 6	(3,6)	20 x 15	(2,6)	120 x 30	(30,6)
60 x 3	(1,5)	80 x 6	(4,1)	25 x 15	(3,2)	45 x 35	(13,4)
6 x 4	(0,2)	100 x 6	(5,1)	30 x 15	(3,8)	50 x 35	(14,9)
8 x 4	(0,272)	40 x 7	(2,4)	35 x 15	(4,5)	60 x 35	(17,9)
10 x 4	(0,340)	10 x 8	(0,7)	40 x 15	(5,1)	65 x 35	(19,3)
12 x 4	(0,408)	12 x 8	(0,8)	45 x 15	(5,7)	70 x 35	(20,8)
14 x 4	(0,476)	15 x 8	(1,0)	50 x 15	(6,4)	90 x 35	(26,8)
15 x 4	(0,510)	20 x 8	(1,4)	60 x 15	(7,7)	100 x 35	(29,8)
16 x 4	(0,544)	25 x 8	(1,7)	70 x 15	(8,9)	50 x 40	(17,0)
20 x 4	(0,7)	30 x 8	(2,0)	80 x 15	(10,2)	60 x 40	(20,4)
25 x 4	(0,9)	35 x 8	(2,4)	100 x 15	(12,8)	70 x 40	(23,8)
30 x 4	(1,0)	40 x 8	(2,7)	120 x 15	(15,3)	80 x 40	(27,2)
35 x 4	(1,2)	50 x 8	(3,4)	25 x 20	(4,3)	90 x 40	(30,6)
40 x 4	(1,4)	60 x 8	(4,1)	30 x 20	(5,1)	100 x 40	(34,0)
45 x 4	(1,5)	70 x 8	(4,7)	35 x 20	(6,0)	120 x 40	(40,8)
50 x 4	(1,7)	80 x 8	(5,4)	40 x 20	(6,8)	60 x 50	(25,5)
60 x 4	(2,0)	100 x 8	(6,8)	45 x 20	(7,7)	70 x 50	(29,8)
80 x 4	(2,7)	12 x 10	(1,0)	50 x 20	(8,5)	80 x 50	(34,0)
8 x 5	(0,340)	15 x 10	(1,3)	60 x 20	(10,2)	90 x 50	(38,3)
10 x 5	(0,425)	20 x 10	(1,7)	70 x 20	(11,9)	100 x 50	(42,5)
12 x 5	(0,510)	25 x 10	(2,1)	80 x 20	(13,6)	120 x 50	(51,0)
15 x 5	(0,638)	30 x 10	(2,6)	90 x 20	(15,3)	80 x 60	(40,8)
18 x 5	(0,8)	35 x 10	(3,0)	100 x 20	(17,0)	90 x 60	(45,9)
20 x 5	(0,9)	40 x 10	(3,4)	120 x 20	(20,4)	100 x 60	(51,0)
25 x 5	(1,1)	40 x 10	(3,8)	150 x 20	(25,5)		
30 x 5	(1,3)	50 x 10	(4,3)	30 x 25	(6,4)		
35 x 5	(1,5)	60 x 10	(5,1)	35 x 25	(7,4)		

„Ihre“ Sonderabmessung liefern wir als Zuschnitt!

Messingbleche CW612N (MS 58) R490, gravierfähig

2000 x 600 mm

0,5	kg/Stk. (5,1)	2,0	kg/Stk. (21,0)	4,0	kg/Stk. (41,3)	7,0	kg/Stk. (72,0)
1,0	(10,8)	2,5	(26,0)	5,0	(52,0)	8,0	(81,6)
1,5	(15,5)	3,0	(31,0)	6,0	(61,2)	10,0	(102,0)

Messingplatten CW612N (MS 58) warmgewalzt, walzhart

2020 x 1020 mm

8,0	kg/Stk. (141,1)	15,0	kg/Stk. (262,7)	30,0	kg/Stk. (525,4)	50,0	kg/Stk. (875,7)
10,0	(190,0)	20,0	(363,0)	35,0	(613,0)	60,0	(1051,0)
12,0	(225,0)	25,0	(437,8)	40,0	(700,5)		

Messingbleche CW508L (MS 63) R350, blank

2000 x 600 mm

(* 300 mm breit, auch als Band lieferbar)

0,1 *	kg/Stk. (0,5)	0,5	kg/Stk. (5,5)	1,2	kg/Stk. (12,5)	4,0	kg/Stk. (41,5)
0,15 *	(0,8)	0,6	(6,5)	1,5	(15,5)	5,0	(52,0)
0,2	(2,2)	0,7	(7,5)	2,0	(21,0)	6,0	(62,0)
0,3	(3,2)	0,8	(8,5)	2,5	(25,5)		
0,4	(4,2)	1,0	(11,0)	3,0	(31,0)		

2000 x 1000 mm

(* auch in R300, weich, tiefziehfähig, auch 600 mm breit)

0,3	kg/Stk. (5,5)	1,0 *	kg/Stk. (17,6)	2,5 *	kg/Stk. (43,5)	5,0	kg/Stk. (87,0)
0,4	(7,0)	1,2	(21,5)	3,0 *	(53,0)	6,0	(106,0)
0,5 *	(9,0)	1,5 *	(27,0)	3,5	(60,5)	8,0	(139,0)
0,8 *	(14,0)	2,0 *	(35,0)	4,0	(69,5)	10,0	(173,0)

2500 x 1250 mm

1,0	kg/Stk. (28,5)	2,0	kg/Stk. (55,0)	4,0	kg/Stk. (110,0)
1,5	(41,5)	3,0	(81,5)	5,0	(135,0)

3000 x 1500 mm

3,0	kg/Stk. (122,0)
-----	--------------------

Hammerschlagbleche CW508L (MS 63)

2000 x 1000 mm

0,8	kg/Stk. (13,600)	1,0	kg/Stk. (17,000)
-----	---------------------	-----	---------------------

Messingfolie CW508L (Ms63)

650 x 300 x 0,05 mm	kg/Stk. (0,083)
---------------------	--------------------

Flachkupferstangen Cu-ETP und Cu-HCP R250/R300/ziehhart, gezogen
scharfkantig und abgerundet, in Lagerlängen von 4.000 - 5.000 mm

	kg/m		kg/m		kg/m		kg/m
10 x 2	(0,178)	80 x 5	(3,6)	100 x 10	(8,9)	120 x 20	(21,4)
12 x 2	(0,214)	100 x 5	(4,5)	120 x 10	(10,7)	140 x 20	(24,9)
15 x 2	(0,267)	120 x 5	(5,4)	140 x 10	(12,5)	150 x 20	(26,7)
20 x 2	(0,356)	125 x 5	(5,6)	150 x 10	(13,4)	160 x 20	(28,5)
25 x 2	(0,445)	160 x 5	(7,1)	160 x 10	(14,2)	180 x 20	(32,0)
30 x 2	(0,534)	10 x 6	(0,534)	180 x 10	(16,0)	200 x 20	(35,6)
40 x 2	(0,712)	12 x 6	(0,641)	200 x 10	(17,8)	250 x 20	(44,5)
10 x 3	(0,267)	15 x 6	(0,801)	15 x 12	(1,6)	30 x 25	(6,7)
12 x 3	(0,320)	20 x 6	(1,1)	20 x 12	(2,1)	40 x 25	(8,9)
15 x 3	(0,401)	25 x 6	(1,4)	25 x 12	(2,7)	50 x 25	(11,1)
16 x 3	(0,427)	30 x 6	(1,6)	30 x 12	(3,2)	60 x 25	(13,4)
20 x 3	(0,534)	35 x 6	(1,9)	40 x 12	(4,3)	80 x 25	(17,8)
25 x 3	(0,668)	40 x 6	(2,1)	50 x 12	(5,3)	100 x 25	(22,3)
30 x 3	(0,801)	50 x 6	(2,7)	60 x 12	(6,4)	120 x 25	(26,7)
35 x 3	(0,935)	60 x 6	(3,2)	70 x 12	(7,5)	150 x 25	(33,4)
40 x 3	(1,1)	80 x 6	(4,3)	80 x 12	(8,5)	200 x 25	(44,5)
50 x 3	(1,4)	100 x 6	(5,4)	100 x 12	(10,7)	40 x 30	(10,7)
10 x 4	(0,356)	120 x 6	(6,4)	120 x 12	(12,8)	50 x 30	(13,4)
12 x 4	(0,427)	12 x 8	(0,854)	150 x 12	(16,0)	60 x 30	(16,0)
15 x 4	(0,534)	15 x 8	(1,1)	200 x 12	(21,4)	70 x 30	(18,7)
16 x 4	(0,570)	16 x 8	(1,2)	20 x 15	(2,7)	80 x 30	(21,4)
18 x 4	(0,641)	18 x 8	(1,3)	25 x 15	(3,4)	100 x 30	(26,7)
20 x 4	(0,712)	20 x 8	(1,4)	30 x 15	(4,0)	120 x 30	(32,0)
25 x 4	(0,890)	25 x 8	(1,8)	40 x 15	(5,3)	150 x 30	(40,0)
30 x 4	(1,1)	30 x 8	(2,2)	50 x 15	(6,7)	160 x 30	(42,7)
35 x 4	(1,3)	35 x 8	(2,5)	60 x 15	(8,0)	200 x 30	(53,4)
40 x 4	(1,4)	40 x 8	(2,8)	70 x 15	(9,4)	60 x 35	(18,7)
50 x 4	(1,8)	50 x 8	(3,6)	80 x 15	(10,7)	50 x 40	(17,8)
60 x 4	(2,2)	60 x 8	(4,3)	100 x 15	(13,4)	60 x 40	(21,4)
80 x 4	(2,9)	80 x 8	(5,7)	120 x 15	(16,0)	80 x 40	(28,5)
100 x 4	(3,6)	100 x 8	(7,1)	140 x 15	(18,7)	100 x 40	(35,6)
10 x 5	(0,445)	120 x 8	(8,5)	150 x 15	(20,0)	120 x 40	(42,7)
12 x 5	(0,534)	12 x 10	(1,1)	160 x 15	(21,4)	150 x 40	(53,4)
15 x 5	(0,668)	15 x 10	(1,3)	180 x 15	(24,0)	80 x 50	(35,6)
16 x 5	(0,712)	20 x 10	(1,8)	200 x 15	(26,7)	100 x 50	(44,5)
20 x 5	(0,890)	25 x 10	(2,2)	25 x 20	(4,5)	120 x 50	(53,4)
25 x 5	(1,1)	30 x 10	(2,7)	30 x 20	(5,3)	140 x 50	(62,3)
30 x 5	(1,3)	35 x 10	(3,1)	35 x 20	(6,2)	150 x 50	(66,8)
35 x 5	(1,6)	40 x 10	(3,6)	40 x 20	(7,1)	200 x 50	(89,0)
40 x 5	(1,8)	45 x 10	(4,0)	50 x 20	(8,9)	80 x 60	(42,7)
45 x 5	(2,0)	50 x 10	(4,5)	60 x 20	(10,7)	100 x 60	(53,4)
50 x 5	(2,2)	60 x 10	(5,4)	70 x 20	(12,5)	120 x 60	(64,0)
60 x 5	(2,7)	70 x 10	(6,2)	80 x 20	(14,2)		
70 x 5	(3,1)	80 x 10	(7,1)	100 x 20	(17,8)		

Ab Lager!

**Flachkupferstangen mit
voll abgerundeten Kanten**

sowie

Kupferstangen aus SE-Cu

Flachkupferstangen Cu-ETP, R250

gezogen, mit vollabgerundeten Kanten, $R = \frac{1}{2} \times \text{Stärke}$
in Lagerlängen von 4.000 – 5.000 mm

30 x 5	kg/m (135)	30 x 10	kg/m (2,7)	100 x 10	kg/m (8,9)
40 x 6	(2,1)	40 x 10	(3,6)	120 x 10	(10,7)
30 x 6	(1,6)	50 x 10	(4,5)	80 x 12	(8,5)
50 x 6	(2,7)	60 x 10	(5,3)	60 x 15	(8,0)
40 x 8	(2,9)	80 x 10	(7,1)	80 x 15	(10,7)

Rundkupferstangen Cu-ETP und Cu-HCP R300 bzw. ziehhart

in Lagerlängen von 4.000 mm

3	kg/m (0,063)	19	kg/m (2,5)	48	kg/m (16,1)	170	kg/m (202,0)
4	(0,112)	20	(2,8)	50	(17,5)	180	(226,5)
5	(0,175)	22	(3,4)	55	(21,1)	190	(252,3)
6	(0,252)	24	(4,0)	60	(25,2)	200	(279,6)
7	(0,343)	25	(4,4)	65	(29,5)	210	(308,3)
7,5	(0,393)	26	(4,7)	70	(34,3)	220	(338,3)
8	(0,447)	27	(5,1)	75	(39,3)	230	(369,8)
9	(0,566)	28	(5,5)	80	(44,7)	240	(402,6)
10	(0,699)	30	(6,3)	85	(50,5)	250	(436,9)
10,5	(0,771)	32	(7,2)	90	(56,6)	260	(472,5)
11	(0,846)	33	(7,6)	100	(69,9)	280	(548,0)
12	(1,0)	35	(8,6)	110	(84,6)	300	(629,1)
13	(1,2)	36	(9,1)	120	(100,7)	310	(671,7)
14	(1,4)	38	(10,1)	130	(118,1)	320	(715,6)
15	(1,6)	40	(11,2)	140	(137,0)	330	(760,9)
16	(1,8)	42	(12,3)	150	(157,3)	350	(856,0)
18	(2,3)	45	(14,2)	160	(178,9)	368	(946,3)

Unsere Rundkupferstangen sind bis einschließlich 160 mm gezogen!

Vierkantkupferstangen Cu-ETP und Cu-HCP R300 bzw. ziehhart,

in Lagerlängen von 4.000 mm

5	kg/m (0,226)	16	kg/m (2,3)	45	kg/m (18,0)	100	kg/m (89,00)
6	(0,320)	20	(3,6)	50	(22,3)	120	(128,2)
8	(0,570)	25	(5,6)	60	(32,0)	150	(200,3)
10	(0,890)	30	(8,0)	70	(43,6)		
12	(1,3)	35	(10,9)	80	(57,0)		
15	(2,0)	40	(14,2)	90	(72,1)		

Sämtliche Abmessungen sind gezogen!

Sechskantkupfer Cu-ETP und Cu-HCP R300, gezogen

12	kg/m (1,1)	19	kg/m (2,8)	27	kg/m (5,6)	36	kg/m (10,0)
14	(1,4)	22	(3,7)	30	(6,9)	41	(12,9)
17	(2,0)	24	(4,4)	32	(7,9)		

Kupferbleche Cu-DHP / Cu-ETP / Cu-HCP, kaltgewalzt

weich, blank R200/220

2000 x 1000 mm

0,4	kg/Stk (7,2)	1,5	kg/Stk (27,5)	3,0	kg/Stk (55,0)	6,0	kg/Stk (110,0)
0,5	(9,0)	2,0	(35,6)	4,0	(73,0)	8,0	(146,0)
1,0	(18,5)	2,5	(44,5)	5,0	(91,0)		

halbhart, blank R240

2000 x 1000 mm

0,3	kg/Stk (5,5)	0,7	kg/Stk (12,5)	1,5	kg/Stk (27,5)	3,0	kg/Stk (55,0)	8,0	kg/Stk (146,0)
0,4	(7,2)	0,8	(14,5)	1,8	(33,0)	4,0	(73,0)	10,0	(181,0)
0,5	(9,0)	1,0	(18,5)	2,0	(36,5)	5,0	(91,00)		
0,6	(10,8)	1,2	(22,5)	2,5	(45,1)	6,0	(110,0)		

halbhart, blank R240

2500 x 1250 mm

0,8	kg/Stk (22,5)	1,5	kg/Stk (45,0)	3,0	kg/Stk (89,0)	5,0	kg/Stk (147,0)
1,0	(29,0)	2,0	(59,0)	4,0	(116,0)	6,0	(181,0)

halbhart, blank R240

3000 x 1500 mm

3,0	kg/Stk (126,0)	5,0	kg/Stk (210,0)	10,0	kg/Stk (431,0)
4,0	(166,0)	6,0	(257,0)		

hart, blank R300

2000 x 1000 mm

1,0	kg/Stk (18,5)	1,5	kg/Stk (27,5)	2,0	kg/Stk (35,6)	3,0	kg/Stk (55,0)
-----	------------------	-----	------------------	-----	------------------	-----	------------------

gehämmert

2000 x 1000 mm

0,8	kg/Stk (14,5)	1,0	kg/Stk (18,5)
-----	------------------	-----	------------------

warmgewalzt, walzhart

2020 x 1020 mm

8,0	kg/Stk (155,0)	15,0*	kg/Stk (295,0)	30,0	kg/Stk (574,0)	50,0	kg/Stk (916,9)	80,0	kg/Stk (1467,0)
10,0*	(193,0)	20,0*	(390,0)	35,0	(676,0)	60,0	(1140,0)	100,0	(1834,0)
12,0	(241,0)	25,0*	(476,0)	40,0	(765,0)	70,0	(1320,0)		

* auch im Format 1020 x 3020 mm

Kupferband Cu-DHP / Cu-ETP / Cu-HCP weich R200/220 600 mm Breite

0,1	kg/m (0,534)	0,2	kg/m (1,068)	0,3	kg/m (1,602)
-----	-----------------	-----	-----------------	-----	-----------------

Kupferbleche OF-Cu, kaltgewalzt

halbhart, blank R240

2000 x 1000 mm

2,0	kg/Stk (36,5)	3,0	kg/Stk (55,0)	4,0	kg/Stk (73,0)
-----	------------------	-----	------------------	-----	------------------

Bitte fragen Sie Kupfer- und Messingzuschnitte an!

Kupferrohre Cu-DHP gezogen, R200, gegläht, weich in Ringen

4 x 0,5	kg/m (0,050)	6 x 1,0	kg/m (0,140)	12 x 1,0	kg/m (0,308)	22 x 1,0	kg/m (0,587)
4 x 0,75	(0,068)	8 x 1,0	(0,196)	15 x 1,0	(0,391)	8 x 1,5	(0,273)
4 x 1,0	(0,084)	9 x 1,0	(0,224)	16 x 1,0	(0,419)	10 x 1,5	(0,356)
5 x 1,0	(0,112)	10 x 1,0	(0,252)	18 x 1,0	(0,475)	12 x 1,5	(0,440)

Kupferrohre Cu-DHP gezogen, R250/R300

in Lagerlängen von ca. 5.000 mm

3 x 0,5	kg/m (0,035)	16 x 2,0	kg/m (0,783)	28 x 4,0	kg/m (2,7)	50 x 4,0	kg/m (5,2)
4 x 0,5	(0,049)	16 x 3,0	(1,090)	30 x 1,0	(0,811)	50 x 5,0	(6,3)
5 x 0,5	(0,063)	17 x 1,0	(0,447)	30 x 1,5	(1,2)	54 x 2,0	(2,9)
6 x 0,5	(0,077)	17 x 1,0	(1,174)	30 x 2,0	(1,6)	56 x 3,0	(4,5)
4 x 1,0	(0,084)	18 x 1,0	(0,475)	30 x 2,5	(1,9)	57 x 3,0	(4,6)
5 x 1,0	(0,112)	18 x 1,5	(0,7)	30 x 3,0	(2,3)	58 x 2,0	(3,1)
6 x 1,0	(0,140)	18 x 2,0	(0,9)	30 x 4,0	(2,9)	60 x 3,0	(4,8)
6 x 1,5	(0,189)	18 x 3,0	(1,3)	30 x 5,0	(3,5)	60 x 4,0	(6,3)
7 x 1,0	(0,168)	20 x 1,0	(0,531)	30 x 6,0	(4,0)	60 x 5,0	(7,7)
8 x 1,0	(0,196)	20 x 1,5	(0,8)	32 x 1,5	(1,3)	64 x 3,0	(5,1)
8 x 1,5	(0,273)	20 x 2,0	(1,0)	32 x 2,0	(1,7)	68 x 2,0	(3,7)
8 x 2,0	(0,336)	20 x 2,5	(1,223)	32 x 4,0	(3,1)	70 x 2,0	(3,8)
10 x 1,0	(0,252)	20 x 3,0	(1,4)	35 x 1,5	(1,4)	70 x 2,5	(4,7)
10 x 1,5	(0,356)	20 x 5,0	(2,1)	35 x 2,0	(1,9)	74 x 2,0	(4,0)
10 x 2,0	(0,447)	21 x 3,0	(1,5)	35 x 2,5	(2,3)	76 x 3,0	(6,1)
10 x 2,5	(0,524)	22 x 1,0	(0,6)	35 x 3,0	(2,7)	80 x 2,0	(4,4)
11 x 1,5	(0,398)	22 x 1,5	(0,9)	35 x 4,0	(3,5)	80 x 3,0	(6,5)
12 x 1,0	(0,308)	22 x 2,0	(1,1)	35 x 5,0	(4,2)	80 x 5,0	(10,5)
12 x 1,5	(0,440)	22 x 3,0	(1,6)	38 x 1,5	(1,5)	84 x 2,0	(4,6)
12 x 2,0	(0,559)	23 x 5,0	(2,5)	38 x 3,0	(2,9)	89 x 2,0	(4,9)
12 x 3,0	(0,750)	24 x 2,0	(1,2)	40 x 2,0	(2,1)	89 x 3,0	(7,2)
13 x 1,0	(0,355)	25 x 1,0	(0,7)	40 x 2,5	(2,6)	89 x 4,0	(9,5)
14 x 1,0	(0,363)	25 x 1,5	(1,0)	40 x 5,0	(4,9)	90 x 2,0	(4,9)
14 x 1,5	(0,524)	25 x 2,0	(1,3)	42 x 1,5	(1,7)	90 x 2,5	(6,1)
14 x 2,0	(0,671)	25 x 2,5	(1,6)	42 x 2,0	(2,2)	90 x 5,0	(11,9)
14 x 3,0	(0,923)	25 x 3,0	(1,8)	42 x 3,0	(3,3)	100 x 2,5	(6,8)
15 x 1,0	(0,391)	26 x 2,0	(1,3)	44 x 2,0	(2,4)	104 x 2,0	(5,7)
15 x 1,5	(0,566)	26 x 3,0	(1,9)	45 x 2,5	(3,0)	108 x 2,5	(7,4)
15 x 2,0	(0,727)	28 x 1,0	(0,8)	45 x 5,0	(5,6)	108 x 4,0	(11,6)
15 x 2,5	(0,874)	28 x 1,5	(1,1)	46 x 3,0	(3,6)	159 x 3,0	(13,8)
16 x 1,0	(0,419)	28 x 2,0	(1,5)	50 x 2,0	(2,7)		
16 x 1,5	(0,608)	28 x 3,0	(2,1)	50 x 3,0	(3,9)		

Kupferrohre Cu-HCP gezogen, R300

in Lagerlängen von 5.000 mm

40 x 5,0	kg/m (4,9)	70 x 10,0	kg/m (16,8)	60 x 15,0	kg/m (18,9)
100 x 5,0	(13,3)	80 x 10,0	(19,6)	80 x 15,0	(27,2)
40 x 10,0	(8,4)	100 x 10,0	(25,2)	80 x 20,0	(33,5)
50 x 10,0	(11,2)	80 x 11,0	(21,2)		
60 x 10,0	(14,0)	50 x 15,0	(14,7)		

Kupferrechteckrohr Cu-HCP gezogen, R300, in Hl. von 5.000 mm

10 x 10 x 1,0	kg/m (0,320)
---------------	-----------------

Leichtmetall Rundstangen AlCuMgPb (EN AW-2007)

Bohr- und Drehqualität, in Lagerlängen von 1.000 - 3.000 mm

	kg/m		kg/m		kg/m
5	(0,056)	46	(4,7)	200	(89,5)
6	(0,081)	48	(5,2)	210	(98,7)
8	(0,143)	50	(5,6)	220	(108,3)
10	(0,224)	52	(6,1)	230	(118,4)
12	(0,322)	55	(6,8)	240	(128,9)
13	(0,378)	60	(8,1)	250	(139,9)
14	(0,439)	65	(9,5)	260	(151,3)
15	(0,504)	70	(11,00)	270	(163,2)
16	(0,573)	75	(12,6)	280	(175,5)
17	(0,647)	80	(14,3)	290	(188,2)
18	(0,725)	85	(16,2)	300	(201,4)
20	(0,9)	90	(18,1)	310	(215,1)
22	(1,1)	95	(20,2)	320	(229,2)
24	(1,3)	100	(22,4)	330	(243,8)
25	(1,4)	105	(24,7)	340	(258,7)
26	(1,5)	110	(27,1)	350	(274,2)
27	(1,6)	115	(29,6)	360	(290,1)
28	(1,8)	120	(32,2)	380	(323,2)
30	(2,0)	125	(35,0)	400	(358,1)
32	(2,3)	130	(37,9)	420	(394,8)
34	(2,6)	140	(43,9)	430	(416,0)
35	(2,7)	150	(50,4)	450	(453,3)
36	(2,9)	160	(57,3)	490	(537,4)
38	(3,2)	165	(61,0)	500	(559,6)
40	(3,6)	170	(64,7)	520	(605,2)
42	(4,0)	180	(72,5)	550	(677,1)
45	(4,5)	190	(80,8)		

Leichtmetall Vierkantstangen AlCuMgPb (EN AW-2007)

Bohr- und Drehqualität, in Lagerlängen von 3.000 mm

	kg/m		kg/m		kg/m
6	(0,103)	35	(3,5)	95	(25,7)
8	(0,182)	36	(3,7)	100	(28,5)
10	(0,285)	40	(4,6)	110	(34,5)
12	(0,410)	45	(5,8)	115	(37,7)
14	(0,559)	50	(7,1)	120	(41,0)
15	(0,641)	55	(8,6)	130	(48,2)
16	(0,730)	60	(10,3)	140	(55,9)
18	(0,9)	65	(12,0)	150	(64,1)
20	(1,1)	70	(14,0)	160	(73,0)
22	(1,4)	75	(16,0)	180	(92,3)
25	(1,8)	80	(18,2)	200	(114,0)
30	(2,6)	90	(23,1)		

Serienschnitte – auf Fixmaß gesägt !

Leichtmetall Sechskantstangen AlCuMgPb (EN AW-2007)

Bohr- und Drehqualität, in Lagerlängen von 3.000 mm

8	kg/m (0,143)	14	kg/m (0,483)	22	kg/m (1,2)	30	kg/m (2,2)	41	kg/m (4,1)
10	(0,247)	17	(0,712)	24	(1,4)	32	(2,5)	46	(5,2)
13	(0,417)	19	(0,9)	27	(1,8)	36	(3,2)	50	(6,2)

Leichtmetall Flachstangen AlCuMgPb (EN AW-2007)

Bohr- und Fräsqualität, in Lagerlängen von 3.000 mm

20 x 5	kg/m (0,290)	50 x 12	kg/m (1,7)	40 x 30	kg/m (3,4)
25 x 5	(0,360)	60 x 12	(2,1)	45 x 30	(3,9)
30 x 5	(0,428)	70 x 12	(2,4)	50 x 30	(4,3)
40 x 5	(0,570)	80 x 12	(2,7)	60 x 30	(5,1)
50 x 5	(0,710)	100 x 12	(3,4)	70 x 30	(6,0)
60 x 5	(0,9)	120 x 12	(3,4)	80 x 30	(6,8)
80 x 5	(1,1)	20 x 15	(0,9)	90 x 30	(7,7)
100 x 5	(1,4)	25 x 15	(1,1)	100 x 30	(8,6)
20 x 6	(0,3)	30 x 15	(1,3)	120 x 30	(10,6)
25 x 6	(0,4)	35 x 15	(1,5)	150 x 30	(12,8)
30 x 6	(0,5)	40 x 15	(1,7)	200 x 30	(17,1)
40 x 6	(0,7)	45 x 15	(1,9)	45 x 35	(4,5)
50 x 6	(0,9)	50 x 15	(2,1)	50 x 35	(5,0)
60 x 6	(1,0)	60 x 15	(2,6)	60 x 35	(6,0)
80 x 6	(1,4)	70 x 15	(3,0)	70 x 35	(7,0)
100 x 6	(1,7)	80 x 15	(3,4)	80 x 35	(8,0)
20 x 8	(0,5)	90 x 15	(3,9)	100 x 35	(10,0)
25 x 8	(0,6)	100 x 15	(4,3)	50 x 40	(5,7)
30 x 8	(0,7)	120 x 15	(5,1)	60 x 40	(6,8)
35 x 8	(0,8)	150 x 15	(6,4)	70 x 40	(8,0)
40 x 8	(0,9)	200 x 15	(8,6)	80 x 40	(9,1)
50 x 8	(1,1)	25 x 20	(1,4)	90 x 40	(10,3)
60 x 8	(1,4)	30 x 20	(1,7)	100 x 40	(11,4)
80 x 8	(1,8)	35 x 20	(2,0)	120 x 40	(13,7)
100 x 8	(2,3)	40 x 20	(2,3)	150 x 40	(17,1)
12 x 10	(0,3)	45 x 20	(2,6)	60 x 50	(8,6)
15 x 10	(0,4)	50 x 20	(2,9)	70 x 50	(10,0)
20 x 10	(0,6)	60 x 20	(3,4)	80 x 50	(11,4)
25 x 10	(0,7)	70 x 20	(4,0)	90 x 50	(12,8)
30 x 10	(0,9)	80 x 20	(4,6)	100 x 50	(14,3)
35 x 10	(1,0)	90 x 20	(5,1)	120 x 50	(17,1)
40 x 10	(1,1)	100 x 20	(5,7)	150 x 50	(21,4)
50 x 10	(1,4)	120 x 20	(6,8)	70 x 60	(11,8)
60 x 10	(1,7)	130 x 20	(7,4)	80 x 60	(13,7)
70 x 10	(2,0)	150 x 20	(8,5)	90 x 60	(15,4)
80 x 10	(2,3)	200 x 20	(11,4)	100 x 60	(17,1)
90 x 10	(2,6)	30 x 25	(2,1)	120 x 60	(20,5)
100 x 10	(2,9)	35 x 25	(2,5)	150 x 60	(25,7)
120 x 10	(3,4)	40 x 25	(2,9)	100 x 70	(19,6)
130 x 10	(3,7)	45 x 25	(3,2)	100 x 80	(22,8)
150 x 10	(4,3)	50 x 25	(3,6)	120 x 80	(26,9)
200 x 10	(5,7)	60 x 25	(4,3)	125 x 80	(28,0)
15 x 12	(0,5)	70 x 25	(5,0)	130 x 90	(32,8)
20 x 12	(0,7)	80 x 25	(5,7)	120 x 100	(33,6)
25 x 12	(0,9)	90 x 25	(6,4)	150 x 100	(42,0)
30 x 12	(1,0)	100 x 25	(7,1)	150 x 120	(50,4)
35 x 12	(1,2)	120 x 25	(8,6)		
40 x 12	(1,4)	150 x 25	(10,7)		

Leichtmetall Rundrohre AlMgSi1 (EN AW-6082)

in Lagerlängen von 4.000 – 6.000 mm

	kg/m		kg/m		kg/m
20 x 5	(0,7)	130 x 10	(10,4)	70 x 20	(8,6)
25 x 5	(0,9)	140 x 10	(11,2)	80 x 20	(10,4)
30 x 5	(1,1)	150 x 10	(12,1)	90 x 20	(12,1)
40 x 5	(1,5)	180 x 10	(14,7)	100 x 20	(13,8)
50 x 5	(1,9)	200 x 10	(16,4)	120 x 20	(17,3)
60 x 5	(2,4)	50 x 15	(4,4)	130 x 20	(19,0)
40 x 10	(2,6)	60 x 15	(5,8)	140 x 20	(20,7)
50 x 10	(3,5)	70 x 15	(7,0)	150 x 20	(22,5)
60 x 10	(4,3)	80 x 15	(8,4)	167 x 18	(22,8)
70 x 10	(5,2)	90 x 15	(9,7)	170 x 20	(25,5)
80 x 10	(6,0)	100 x 15	(11,0)	180 x 20	(27,6)
90 x 10	(6,9)	120 x 15	(13,6)	200 x 20	(31,1)
100 x 10	(7,8)	200 x 15	(24,0)	206 x 25	(38,5)
120 x 10	(9,5)	60 x 20	(6,8)	100 x 30	(18,1)

Leichtmetall Rundstangen AlMgSi1 (EN AW-6082)

in Lagerlängen von 1.000 mm - 3.000 mm

	kg/m		kg/m		kg/m
6	(0,076)	65	(8,9)	170	(61,3)
8	(0,136)	70	(10,4)	180	(68,7)
10	(0,212)	75	(11,9)	190	(76,6)
12	(0,305)	80	(13,6)	200	(84,8)
15	(0,477)	85	(15,3)	210	(93,5)
16	(0,543)	90	(17,2)	220	(102,6)
20	(0,848)	95	(19,1)	230	(112,2)
22	(1,0)	100	(21,2)	240	(122,1)
25	(1,3)	105	(23,3)	250	(132,5)
30	(1,9)	110	(25,7)	260	(143,3)
32	(2,2)	115	(28,0)	270	(154,9)
35	(2,6)	120	(30,5)	280	(166,2)
40	(3,4)	125	(33,1)	300	(190,8)
42	(3,7)	130	(35,8)	310	(203,8)
45	(4,3)	135	(38,7)	320	(217,1)
50	(5,3)	140	(41,6)	330	(230,9)
55	(6,4)	150	(47,7)	340	(245,1)
60	(7,6)	160	(54,3)	350	(259,8)

Leichtmetall Vierkantstangen AlMgSi1 (EN AW-6082)

in Lagerlängen von 3.000 mm

	kg/m		kg/m		kg/m
10	(0,270)	40	(4,3)	75	(15,2)
12	(0,389)	45	(5,5)	80	(17,3)
15	(0,608)	50	(6,8)	90	(21,9)
20	(1,1)	55	(8,2)	100	(27,0)
25	(1,7)	60	(9,7)	120	(38,9)
30	(2,4)	65	(11,4)	150	(60,8)
35	(3,3)	70	(13,2)		

Wir sägen Fixstücke mit Längentoleranzen von +/- 0,2 mm !

Leichtmetall Sechskantstangen AlMgSi1 (EN AW-6082)

in Lagerlängen von 3.000 mm

19	kg/m (0,843)	24	kg/m (1,4)
22	(1,1)	30	(2,1)

Leichtmetall Flachstangen AlMgSi1 (EN AW-6082)

in Lagerlängen von 3.000 mm

20 x 5	kg/m (0,270)	150 x 10	kg/m (4,4)	150 x 20	kg/m (8,1)
25 x 5	(0,338)	200 x 10	(5,4)	200 x 20	(10,8)
30 x 5	(0,405)	20 x 12	(0,7)	30 x 25	(2,0)
40 x 5	(0,540)	30 x 12	(0,1)	35 x 25	(2,4)
50 x 5	(0,675)	35 x 12	(1,1)	40 x 25	(2,7)
60 x 5	(0,810)	40 x 12	(1,3)	45 x 25	(3,0)
80 x 5	(1,1)	50 x 12	(1,6)	50 x 25	(3,3)
100 x 5	(1,4)	60 x 12	(1,9)	60 x 25	(4,1)
20 x 6	(0,3)	70 x 12	(2,3)	70 x 25	(4,7)
25 x 6	(0,4)	80 x 12	(2,6)	80 x 25	(5,4)
30 x 6	(0,5)	100 x 12	(3,2)	100 x 25	(6,8)
40 x 6	(0,7)	120 x 12	(3,9)	40 x 30	(3,2)
50 x 6	(0,8)	20 x 15	(0,8)	50 x 30	(4,1)
60 x 6	(1,0)	25 x 15	(1,0)	60 x 30	(4,9)
80 x 6	(1,3)	30 x 15	(1,2)	70 x 30	(5,7)
100 x 6	(1,6)	35 x 15	(1,4)	80 x 30	(6,5)
20 x 8	(0,4)	40 x 15	(1,6)	90 x 30	(7,3)
25 x 8	(0,5)	45 x 15	(1,8)	100 x 30	(8,1)
30 x 8	(0,6)	50 x 15	(2,0)	120 x 30	(9,7)
40 x 8	(0,9)	60 x 15	(2,4)	150 x 30	(12,2)
50 x 8	(1,1)	70 x 15	(2,8)	50 x 35	(4,7)
60 x 8	(1,3)	80 x 15	(3,2)	50 x 40	(5,4)
70 x 8	(1,5)	100 x 15	(4,1)	60 x 40	(6,5)
80 x 8	(1,7)	120 x 15	(4,9)	70 x 40	(7,6)
100 x 8	(2,2)	150 x 15	(6,1)	80 x 40	(8,6)
15 x 10	(0,4)	200 x 15	(8,1)	100 x 40	(10,8)
20 x 10	(0,5)	25 x 20	(1,4)	120 x 40	(13,0)
25 x 10	(0,7)	30 x 20	(1,6)	150 x 40	(16,2)
30 x 10	(0,8)	35 x 20	(1,9)	60 x 50	(8,1)
35 x 10	(0,9)	40 x 20	(2,2)	70 x 50	(9,5)
40 x 10	(1,1)	45 x 20	(2,4)	80 x 50	(10,8)
50 x 10	(1,4)	50 x 20	(2,5)	100 x 50	(13,5)
60 x 10	(1,6)	60 x 20	(3,2)	80 x 60	(13,0)
70 x 10	(1,9)	70 x 20	(3,8)	100 x 60	(16,2)
80 x 10	(2,2)	80 x 20	(4,3)	120 x 60	(19,4)
100 x 10	(2,7)	100 x 20	(5,4)	100 x 80	(21,6)
120 x 10	(3,2)	120 x 20	(6,5)		

Fragen Sie bitte nach Plattenzuschnitten in allen gängigen Güten

Leichtmetall Rundstangen AlZnMgCu1,5 (EN AW-7075)

gepresst, in Lagerlängen von 3.000 mm

	kg/m		kg/m		kg/m
8	(0,141)	95	(19,9)	240	(126,7)
10	(0,220)	100	(22,0)	250	(137,4)
12	(0,317)	110	(26,6)	260	(148,7)
15	(0,495)	115	(29,1)	270	(160,3)
20	(0,880)	120	(31,7)	280	(172,4)
25	(1,4)	125	(34,4)	290	(184,9)
30	(2,0)	130	(37,2)	300	(197,9)
35	(2,7)	140	(43,1)	310	(211,3)
40	(3,5)	150	(49,5)	320	(225,2)
45	(4,5)	160	(56,3)	330	(239,5)
50	(5,5)	170	(63,6)	340	(254,2)
55	(6,7)	175	(67,4)	350	(269,4)
60	(7,9)	180	(71,3)	360	(285,0)
65	(9,3)	190	(83,6)	380	(317,5)
70	(10,8)	200	(88,0)	390	(334,5)
75	(12,4)	210	(97,0)	400	(351,8)
80	(14,1)	220	(106,4)	410	(369,7)
85	(15,9)	225	(111,3)		
90	(17,8)	230	(116,3)		

Leichtmetall Vierkantstangen AlZnMgCu1,5 (EN AW-7075)

in Lagerlängen von 3.000 mm

	kg/m		kg/m		kg/m
15	(0,630)	40	(4,5)	80	(17,9)
20	(1,1)	50	(7,0)	100	(28,0)
25	(1,8)	60	(10,1)	110	(33,9)
30	(2,5)	70	(13,7)	120	(40,3)

Leichtmetall Flachstangen AlZnMgCu1,5 (EN AW-7075)

in Lagerlängen von 3.000 mm

	kg/m		kg/m		kg/m
100 x 10	(2,8)	40 x 25	(2,7)	50 x 40	(5,6)
30 x 15	(1,3)	50 x 25	(3,5)	60 x 40	(6,7)
40 x 15	(1,7)	60 x 25	(4,2)	70 x 40	(7,8)
50 x 15	(2,1)	70 x 25	(4,9)	80 x 40	(9,0)
60 x 15	(2,5)	80 x 25	(5,6)	90 x 40	(10,1)
80 x 15	(3,4)	100 x 25	(7,0)	100 x 40	(11,2)
100 x 15	(2,2)	120 x 25	(8,4)	70 x 50	(9,8)
30 x 20	(1,7)	40 x 30	(3,4)	80 x 50	(11,2)
40 x 20	(2,2)	50 x 30	(4,2)	100 x 50	(14,0)
50 x 20	(2,8)	60 x 30	(5,0)	80 x 60	(13,4)
60 x 20	(3,4)	70 x 30	(5,9)	120 x 60	(20,2)
70 x 20	(3,8)	80 x 30	(6,7)	100 x 80	(22,4)
80 x 20	(4,5)	100 x 30	(8,4)		
100 x 20	(5,6)	120 x 30	(10,1)		

Leichtmetall Rundstangen AlMg4,5Mn (EN AW-5083)

in Lagerlängen von 1.000 - 3.000 mm

40	kg/m (3,5)	80	kg/m (14,1)	150	kg/m (49,5)	260	kg/m (148,7)
50	(5,5)	120	(31,7)	160	(56,3)	300	(197,9)
75	(12,4)	140	(43,1)	180	(71,3)	320	(225,2)

Leichtmetall Rundstangen AlMgSiPb (EN AW-6012)

in Lagerlängen von 3.000 mm

22	kg/m (1,0)	35	kg/m (2,6)	60	kg/m (7,6)	80	kg/m (13,6)
25	(1,3)	50	(5,3)	65	(9,0)		
30	(1,9)	55	(6,4)	75	(11,9)		

Leichtmetall Rundstangen AlMgSiBi (EN AW-6026)

in Lagerlängen von 3.000 mm

30	kg/m (1,9)
40	(3,5)

Aluminium Flachstangen E-Al 99,5% (AW-1350A)

Elektro-Leitschienen, gezogen DIN 40501/46433, in Hl. von 5.000 mm

30 x 5	kg/m (0,405)	50 x 10	kg/m (1,4)	160 x 10	kg/m (4,3)
40 x 5	(0,540)	60 x 10	(1,6)	60 x 15	(2,4)
50 x 5	(0,675)	80 x 10	(2,2)	100 x 15	(4,1)
30 x 10	(0,810)	100 x 10	(2,7)		
40 x 10	(1,1)	120 x 10	(3,2)		

Xantener Straße 4-5 · 41460 Neuss

Telefon: 0 21 31/5 50 77 · Telefax: 0 21 31/5 04 21 + 54 63 31

E-Mail: mefa-neuss@freenet.de

Fragen Sie bitte auch nach anderen Abmessungen und Güten !

Aluminiumbleche Al99,5% (EN AW-1050A) halbhart, blank F9-11**2000 x 1000 mm**

0,5	kg/Stk (2,7)	1,5	kg/Stk (8,5)	3,0	kg/Stk (16,5)	6,0	kg/Stk (33,6)
0,8	(4,3)	2,0	(11,0)	4,0	(22,0)		
1,0	(5,6)	2,5	(13,5)	5,0	(27,5)		

Leichtmetallbleche AlMg3 (EN AW-5754) halbhart, bzw. ab 8 mm walzhart**2000 x 1000 mm**

0,5	kg/Stk (2,7)	2,0	kg/Stk (11,0)	5,0	kg/Stk (27,5)	12,0	kg/Stk (65,0)
0,8	(4,3)	2,5	(13,5)	6,0	(33,6)	15,0	(82,0)
1,0	(5,6)	3,0	(16,5)	8,0	(44,0)	20,0	(110,0)
1,5	(8,5)	4,0	(22,0)	10,0	(56,0)		

Leichtmetallbleche AlMg3 (EN AW-5754) „Duett-Muster“ und „Quintett-Muster“**2000 x 1000 mm**

1,5/2,0	kg/Stk (10,0)	3,5/5,0	kg/Stk (21,0)	8,0/9,5	kg/Stk (46,0)
2,5/4,0	(16,0)	5,0/6,5	(30,0)		

2500 x 1250 mm

1,5/2,0	kg/Stk (14,5)	3,5/5,0	kg/Stk (34,0)	8,0/9,5	kg/Stk (72,0)
2,5/4,0	(25,0)	5,0/6,5	(47,0)		

3000 x 1500 mm

1,5/2,0	kg/Stk (21,0)	3,5/5,0	kg/Stk (52,0)	8,0/9,5	kg/Stk (105,0)
2,5/4,0	(36,0)	5,0/6,5	(68,0)		

Leichtmetallbleche AlCuMg 1 F38 (EN AW-2017A)**2000 x 1000 mm**

1,5	kg/Stk (8,5)	4,0	kg/Stk (22,0)	8,0	kg/Stk (44,0)
2,0	(11,0)	5,0	(27,5)	10,0	(56,0)
3,0	(16,5)	6,0	(33,6)		

Titanzinkbleche**2000 x 1000 mm**

0,65	kg/Stk (10,0)	0,8	kg/Stk (12,0)	1,5	kg/Stk (23,0)
0,7	(11,0)	1,0	(15,0)	2,0	(30,0)

Rotguss Rundstangen RG7

CuSn7Zn4Pb7-C-GC CC493K EN 1982

13	kg/m (1,3)	41	kg/m (12,0)	102	kg/m (73,3)	192	kg/m (260,1)
16	(1,9)	46	(15,0)	107	(80,6)	202	(290,5)
17	(2,1)	51	(18,4)	112	(88,2)	212	(319,5)
19	(2,7)	56	(22,1)	117	(96,4)	222	(350,0)
21	(3,2)	61	(26,2)	122	(104,6)	232	(381,7)
23	(3,8)	66	(30,6)	127	(113,2)	242	(414,9)
26	(4,9)	71	(35,4)	132	(122,3)	252	(449,4)
27	(5,3)	76	(40,6)	142	(141,3)	278	(540,0)
31	(6,9)	81	(46,0)	152	(161,8)	302	(642,9)
33	(7,8)	86	(51,12)	162	(185,9)	354	(871,0)
36	(9,3)	91	(57,8)	172	(209,3)		
37	(9,8)	96	(64,5)	182	(234,0)		

Guss-Zinnbronze Rundstangen G-Bz12

CuSn12-C-GC CC483K EN 1982

13	kg/m (1,3)	41	kg/m (12,0)	76	kg/m (40,6)	122	kg/m (104,6)
17	(2,1)	46	(15,0)	81	(46,0)	132	(122,3)
19	(2,7)	51	(18,4)	86	(51,8)	142	(141,3)
21	(3,2)	56	(22,1)	91	(58,0)	152	(161,8)
26	(4,9)	61	(26,2)	96	(64,5)	162	(185,9)
31	(6,9)	66	(30,6)	102	(73,3)	182	(234,0)
36	(9,3)	71	(35,4)	112	(88,2)	202	(290,5)

Rotguss Vierkantstangen RG7

CuSn7Zn4Pb7-C-GC CC493K EN 1982

22	kg/m (4,6)	62	kg/m (34,9)	113	kg/m (114,4)
32	(9,6)	73	(48,2)	123	(135,3)
42	(16,3)	83	(62,1)	143	(182,5)
52	(24,7)	103	(95,2)		

Xantener Straße 4-5 · 41460 Neuss

Guss-Zinnbronze Vierkantstangen G-Bz12

CuSn12-C-GC CC483K EN 1982

22	kg/m (4,6)	62	kg/m (34,9)	113	kg/m (114,4)
32	(9,6)	73	(48,2)	123	(135,3)
42	(16,3)	83	(62,1)	143	(182,5)
52	(24,7)	103	(95,2)		

Telefon: 0 21 31/5 04 21 + 54 63 31

E-Mail: mefa-neuss@freenet.de

Rotguss Flachstangen RG7

CuSn7Zn4Pb7-C-GC CC493K EN 1982

22 x 12	kg/m (2,6)	67 x 22	kg/m (13,8)	103 x 33	kg/m (31,1)
32 x 12	(3,8)	67 x 32	(19,7)	123 x 23	(26,2)
42 x 12	(4,9)	73 x 13	(9,1)	133 x 43	(51,9)
52 x 12	(6,1)	73 x 23	(15,6)	143 x 23	(30,4)
52 x 18	(8,9)	83 x 13	(10,3)	153 x 33	(46,1)
52 x 22	(10,7)	83 x 19	(14,8)	163 x 19	(28,9)
62 x 12	(7,2)	83 x 23	(17,7)	163 x 23	(34,6)
62 x 18	(10,5)	103 x 13	(12,8)	203 x 19	(35,9)
62 x 22	(12,8)	103 x 19	(18,3)	203 x 23	(43,1)
62 x 32	(18,3)	103 x 23	(22,0)		

Guss-Zinnbronze Flachstangen G-Bz12

CuSn12-C-GC CC483K EN 1982

32 x 12	kg/m (3,8)	67 x 32	kg/m (19,7)	123 x 23	kg/m (26,2)
42 x 12	(4,9)	73 x 13	(9,1)	132 x 43	(51,9)
52 x 12	(6,1)	73 x 23	(15,6)	143 x 23	(30,4)
52 x 18	(8,9)	83 x 13	(10,3)	153 x 33	(46,1)
52 x 22	(10,7)	83 x 19	(14,8)	163 x 18	(28,9)
62 x 12	(7,2)	83 x 23	(17,7)	163 x 23	(34,6)
62 x 18	(10,5)	103 x 13	(12,8)	203 x 18	(35,9)
62 x 22	(12,8)	103 x 19	(18,3)	203 x 23	(43,1)
62 x 32	(18,3)	103 x 23	(22,0)		
67 x 22	(13,8)	103 x 33	(31,1)		

Weitere Abmessungen als Plattenzuschnitt !

Xantener Straße 4-5 · 41460 Neuss

Telefon: 0 21 31/5 50 77 · Telefax: 0 21 31/5 04 21 + 54 63 31

E-Mail: mefa-neuss@freenet.de

Rotgussbuchsen RG7

CuSn7Zn4Pb7-C-GC CC493K EN 1982

	kg/m		kg/m		kg/m
24 x 11	(3,2)	77 x 58	(18,1)	122 x 68	(73,5)
26 x 14	(3,7)	82 x 28	(42,1)	122 x 78	(63,6)
31 x 14	(5,7)	82 x 38	(37,7)	122 x 88	(52,3)
31 x 19	(4,7)	82 x 43	(35,0)	122 x 98	(39,5)
33 x 18	(5,6)	82 x 48	(31,9)	127 x 63	(86,7)
36 x 14	(8,1)	82 x 53	(28,5)	127 x 73	(77,4)
36 x 19	(7,0)	82 x 58	(24,7)	127 x 93	(54,70)
36 x 24	(5,6)	82 x 68	(16,1)	132 x 48	(107,0)
41 x 14	(10,8)	87 x 38	(43,6)	132 x 58	(99,8)
41 x 19	(9,7)	87 x 43	(40,8)	132 x 68	(91,2)
41 x 24	(8,3)	87 x 48	(37,8)	132 x 78	(81,3)
41 x 29	(6,5)	87 x 53	(34,3)	132 x 88	(69,9)
46 x 14	(13,8)	87 x 58	(30,6)	132 x 98	(57,2)
46 x 19	(12,8)	87 x 63	(26,5)	132 x 108	(43,1)
46 x 24	(11,4)	87 x 68	(22,0)	137 x 113	(44,9)
46 x 29	(9,6)	87 x 73	(17,2)	142 x 58	(118,9)
46 x 34	(7,4)	92 x 28	(54,2)	142 x 68	(110,3)
51 x 14	(17,2)	92 x 38	(49,8)	142 x 78	(100,4)
51 x 19	(16,1)	92 x 48	(44,0)	142 x 88	(89,0)
51 x 24	(14,7)	92 x 58	(36,9)	142 x 98	(76,3)
51 x 29	(13,0)	92 x 63	(32,7)	142 x 108	(62,2)
51 x 34	(10,9)	92 x 68	(28,2)	142 x 118	(46,7)
51 x 39	(8,4)	92 x 73	(23,4)	152 x 68	(131,8)
56 x 14	(21,0)	92 x 78	(18,3)	152 x 78	(120,8)
56 x 19	(19,9)	96 x 48	(50,6)	152 x 88	(109,5)
56 x 24	(18,5)	96 x 63	(39,3)	152 x 98	(96,8)
56 x 29	(16,7)	96 x 68	(34,8)	152 x 108	(82,7)
56 x 34	(14,6)	96 x 73	(30,0)	152 x 118	(67,2)
56 x 39	(12,2)	96 x 79	(24,9)	152 x 128	(50,3)
61 x 19	(24,0)	102 x 28	(68,3)	162 x 78	(142,7)
61 x 24	(22,6)	102 x 38	(63,9)	162 x 88	(131,3)
61 x 29	(20,8)	102 x 48	(58,1)	162 x 98	(118,6)
61 x 34	(18,7)	102 x 58	(50,9)	162 x 118	(89,0)
61 x 39	(16,2)	102 x 68	(42,3)	162 x 128	(72,2)
61 x 44	(13,4)	102 x 73	(37,5)	162 x 138	(53,9)
61 x 49	(10,3)	102 x 78	(32,3)	172 x 88	(154,5)
66 x 24	(27,0)	102 x 83	(26,9)	172 x 108	(127,7)
66 x 29	(25,2)	102 x 88	(21,0)	172 x 118	(112,2)
66 x 34	(23,1)	107 x 63	(54,0)	172 x 128	(95,4)
66 x 39	(20,7)	107 x 78	(39,6)	172 x 138	(77,1)
66 x 44	(17,9)	107 x 93	(22,1)	172 x 148	(57,5)
66 x 49	(14,7)	112 x 28	(83,2)	182 x 118	(136,8)
66 x 54	(11,2)	112 x 38	(78,8)	182 x 128	(120,0)
72 x 18	(33,4)	112 x 48	(73,0)	182 x 138	(101,7)
72 x 28	(30,4)	112 x 58	(65,8)	182 x 148	(82,1)
72 x 33	(28,4)	112 x 68	(57,2)	182 x 158	(61,1)
72 x 38	(26,0)	112 x 78	(47,2)	192 x 98	(192,4)
72 x 43	(23,2)	112 x 83	(41,8)	192 x 108	(178,3)
72 x 48	(20,2)	112 x 88	(35,9)	192 x 128	(146,0)
72 x 53	(16,7)	112 x 98	(23,2)	192 x 148	(108,1)
72 x 58	(13,0)	117 x 83	(50,0)	192 x 158	(87,1)
77 x 33	(33,5)	117 x 93	(37,7)	202 x 98	(223,9)
77 x 38	(3,1)	117 x 98	(31,2)	202 x 118	(194,6)
77 x 43	(28,4)	122 x 38	(95,1)	202 x 148	(140,3)
77 x 48	(25,3)	122 x 48	(89,3)	202 x 158	(119,4)
77 x 53	(21,9)	122 x 58	(82,1)	202 x 168	(97,2)

Rotgussbuchsen RG7

CuSn7Zn4Pb7-C-GC CC493K EN 1982

(Fortsetzung von Seite 20)

202 x 178	kg/m (73,5)	232 x 178	kg/m (164,4)	282 x 248	kg/m (139,1)
212 x 138	(188,7)	232 x 188	(139,3)	282 x 178	(343,4)
212 x 148	(169,2)	232 x 198	(91,64)	285 x 245	(153,1)
212 x 168	(126,1)	242 x 138	(112,9)	292 x 218	(274,9)
212 x 178	(102,4)	242 x 188	(172,4)	304 x 196	(383,3)
222 x 98	(283,1)	242 x 198	(146,0)	304 x 246	(228,7)
222 x 128	(237,1)	252 x 148	(298,6)	354 x 246	(454,1)
222 x 148	(199,5)	252 x 178	(231,8)	354 x 296	(265,3)
222 x 178	(132,7)	252 x 208	(152,6)	404 x 296	(536,6)
222 x 188	(107,7)	262 x 208	(188,4)	404 x 346	(319,2)
232 x 148	(231,1)	272 x 218	(196,4)		

Guss-Zinnbronze Buchsen G-Bz12

CuSn12-C-GC CC483K EN 1982

26 x 14	kg/m (3,7)	72 x 28	kg/m (30,4)	102 x 68	kg/m (42,3)
46 x 19	(12,8)	72 x 38	(26,0)	112 x 78	(47,2)
46 x 24	(11,4)	72 x 48	(20,2)	132 x 48	(107,0)
51 x 19	(16,1)	82 x 38	(37,7)	162 x 128	(72,2)
51 x 29	(13,0)	82 x 48	(31,9)	172 x 138	(77,1)
51 x 34	(10,9)	92 x 28	(54,2)	182 x 148	(82,1)
56 x 19	(19,9)	92 x 63	(32,7)		
61 x 39	(16,2)	102 x 38	(63,9)		

Fragen Sie bitte auch nach anderen Abmessungen und Güten !

Xantener Straße 4-5 · 41460 Neuss

Telefon: 02131/5 50 77 · Telefax: 02131/5 04 21 + 54 63 31

E-Mail: mefa-neuss@freenet.de

Bronzebleche CuSn6, federhart**2000 x 300 mm**

0,1	kg/Stk (0,528)	0,4	kg/Stk (2,2)	0,8	kg/Stk (4,5)	1,5	kg/Stk (8,0)	3,0	kg/Stk (17,0)
0,2	(1,1)	0,5	(3,0)	1,0	(5,5)	2,0	(11,0)	4,0	(22,5)
0,3	(1,6)	0,6	(3,5)	1,2	(6,5)	2,5	(13,5)		

2000 x 600 mm

5,0	kg/Stk (55,0)
6,0	(64,0)